Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A compound of formula A:

$$R_1$$
 A
 O
 X
 R_2
 R_3

wherein

X is selected from the group consisting of O, N, S, SO, and SO₂;

R₁ and R₂ can be the same or different and are selected from the group consisting of H, OH, OCH₃, OCH₂CH₃, OCH₂C₆H₅, NH₂, NHCH₃, N(CH₃)₂, CN, CH₃, CH₂CH₃, CH₂CH₃, CH(CH₃)₂, C(CH₃)₃, NO₂, F, Cl, Br, CF₃, SH, SCH₃, SCH₂CH₃, OCOC(H₃)₃, and OCOC(H₂COOH;

R₃ is selected from the group consisting of H, OH, OCH₂, OCH₂CH₃, NH₂, NHCH₃, N(CH₃)₂, NO₂, CN, CH₃, CH₂CH₃, CH₂CH₂CH₂, CH(CH₃)₂, C(CH₃)₃, F, Cl, Br, CF₃, SH, SCH₂, SCH₂CH₃,

Claim 2 (currently amended): The compound of claim 1, wherein A compound of formula A:

NET and ob

$$R_1$$
 A
 O
 X
 R_2
 R_3

wherein

X is selected from S, N, and O;

R₁-is selected from OH, OCH₃, and OC₆H₅;

R2 is selected from H, OH, CH3, and OCH3; and

R₁ and R₂ can be the same or different and are selected from the group consisting of H, OH, OCH₃, OCH₂CH₃, OCH₂C₆H₅, NH₂, NHCH₃, N(CH₃)₂, CN, CH₃, CH₂CH₃, CH₂CH₃, CH(CH₃)₂, C(CH₃)₃, NO₂, F, Cl, Br, CF₃, SH, SCH₃, SCH₂CH₃, OCOCH₃, OCOC(CH₃)₃, and OCOCH₂COOH; and

R₃ is selected from OH and 2-(1-piperidinyl)ethoxy.

Claim 3 (original): The compound of claim 2, wherein X is S, R_1 is OH, R_2 is OCH₃, and R_3 is 2-(1-piperidinyl)ethoxy.

Claims 4 and 5 (canceled)

Claim β (original): The compound of claim 2, wherein X is S, R_1 is OC_6H_5 , R_2 is OCH_3 , and R_3 is 2-(1-piperidinyl)ethoxy.

Claim $\frac{L}{2}$ (original): The compound of claim 2, wherein X is O, R₁ is OC₆H₅, R₂ is OCH₃, and R₃ is 2-(1-piperidinyl)ethoxy.

Claim g (original): The compound of claim 2, wherein X is O, R_1 is OH, R_2 is OCH₃, and R_3 is 2-(1-piperidinyl)ethoxy.

3 of 10

{KF2254.DOC;1}

Claim (original): A one-pot method for preparing a 2-(alkylthio)isoflavone comprising the steps of:

- a. providing a mixture of a deoxybenzoin, carbon disulfide, alkyl halide, and tetrabutylammonium hydrogensulfate;
- b. adding aqueous sodium hydroxide to the mixture while stirring;
- c. reacting the mixture until the 2-(alkylthio)isoflavone is formed.

Claim 10 (original): The method of claim 4 wherein the mixture is allowed to stir for about 3 to about 7 hours after the addition of the sodium hydroxide.

Claim 1/2 (original): The method of claim 8 further comprising the step of separating the 2-(alkylthio)isoflavone from the reaction mixture.

Claim \mathcal{U} (original): The method of claim \mathcal{U} further comprising the step of purifying the 2-(alkylthio)isoflavone compound.

Claim 12 (original): A method of prepararing a 2-heterosubstituted 3-aryl-4H-benzopyran-4-one compound comprising the steps of:

- a. selecting a 2-(alkylthio)isoflavone;
- b. optionally protecting potentially reactive groups on the 2-(alkylthio)isoflavone;
- c. oxidizing the alkylthio group to a alkylsyfonyl group; and
- d. substituting the alkylsulfonyl group with a heteroalkyl or heteroaryl group to form the 2-heterosubstituted 3-aryl-4H-benzopyran-4-one compound.

Claim 14 (original): The method of claim 13 wherein the oxidation step is carried out using mCPBA in a polar aprotic solvent under reflux conditions.

Claim 18 (original): The method of claim 18 wherein the polar aprotic solvent is CH₂Cl₂.

Claim 16 (original): The method of claim 18 wherein alkylsulfonyl group is substituted with a thioaryl group.

Claim 17 (original): The method of claim 16 further comprising the step of substituting the thioaryl group with an ethylpiperidinyl group to form a 4-[2-(1-piperidinyl)ethoxy]thiophenyl group at the 2-position of the 2-heterosubstituted 3-aryl-4H-benzopyran-4-one compound.

Claim 18 (original): The method of claim 17 further comprising the step of deprotecting the 2-heterosubstituted 3-aryl-4H-benzopyran-4-one.

Claim 19 (original): The method of claim 13 further comprising the step of deprotecting the 2-heterosubstituted 3-aryl-4H-benzopyran-4-one.

Claim 20 (currently amended): A method for treating, inhibiting, or delaying the onset of a cancer in a subject in need of such treatment; the method comprising administering a therapeutically effective amount of compound A:

X is selected from the group consisting of O, N, S, SO, and SO₂;

R₁ and R₂ can be the same or different and are selected from the group consisting of H, OH, OCH₃, OCH₂CH₃, OCH₂C₆H₅, NH₂, NHCH₃, N(CH₃)₂, CN, CH₃, CH₂CH₃, CH₂CH₃, CH(CH₃)₂, C(CH₃)₃, NO₂, F, Cl, Bh, CF₃, SH, SCH₃, SCH₂CH₃, OCOC(CH₃)₃, and OCOCH₂COOH; and

5 of 10

R₃ is selected from the group consisting of H, OH, OCH₂, OCH₂CH₃, NH₂, NH₂, NHCH₃; N(CH₃)₂, NO₂, CN, CH₃, CH₂CH₃, CH₂CH₂CH₃, CH(CH₃)₂, C(CH₃)₃, F, Cl, Br, CF₃; SH, SCH₃, SCH₂CH₃;

to the subject in need of such treatment.

Claim 21 (currently amended): The method of claim 20 wherein the cancer is breast cancer A method for treating, inhibiting, or delaying the onset of a breast cancer in a subject in need of such treatment; the method comprising administering a therapeutically effective amount of compound A:

$$R_1$$
 A
 O
 X
 R_2
 R_3

wherein

X is selected from the group consisting of O, N, S, SO, and SO₂;

R₁ and R₂ can be the same or different and are selected from the group consisting of H, OH, OCH₃, OCH₂CH₃, OCH₂C₆H₅, NH₂, NHCH₃, N(CH₃)₂, CN, CH₃, CH₂CH₃, CH₂CH₃, CH(CH₃)₂, C(CH₃)₃, NO₂, F, Cl, Br, CF₃, SH, SCH₃, SCH₂CH₃, OCOCH₃, OCOC(CH₃)₃, and OCOCH₂COOH; and

R₃ is 2-(1-piperidinyl)ethoxy

to the subject in need of such treatment.

Appl. No. 10/643,463 Amdt. dated March 20, 2006 Reply to Office Action of January 19, 2006

Claim 22 (currently amended): The method of claim 29 21 wherein the cancer is hormone-dependent breast cancer.

Claim 23 (canceled)

Claim 24 (new): The compound of claim 2 wherein

X is selected from S and O;

R₁ is selected from OH, OCH₃, and OC₆H₅;

R₂ is selected from H, OH, CH₃, and OCH₃; and

R₃ is 2-(1-piperidinyl)ethoxy.